

**OKTEK®** A technology tool at **e** generation

**Brand new**

**Counting, Loss Detect & Meter all in G-5001A**

**G-5001A**

**Multi-function SMD Chip Counter**

Best detect and measure tool for IQC take  
& prepare the material, and inventory

**HOT**



**AVI Precision Engineering Pte Ltd**



**Brand new**

**Counting, Loss Detect & Meter all in G-5001A**



## FUNCTION

### Outlook

Fashion and streamline,  
breakout the traditional design.

### Effort-saving handle


Cylindrical designs save space  
and easy to carry.

### Rotate the reel

Motor is import from Japan,  
It can self-protect when overload and have long lasting,  
high newton, and low power consumption function.

### Electric meter

Red (+), Black (-) test probe, can measure  
Resistance, Capacitance, Diode components and open short.



## Features

Auto. counting, easy to count,  
provide material and inventory.  
Auto save the set up value,  
convenience for operation  
Include 3 3/4(4000 counts) Auto.  
shift gears electric meter, easy to  
operate & measure the value of  
material any time.  
Short detect is devised, count  
precisely and deduct the lack  
Auto., Rate of inaccuracy is Zero.



# G-5001A

## Multi-function SMD Chip Counter

Best detect and measure tool for IQC take & prepare the material, and inventory



### A protection device from missing material

A protection device from missing material is set up, special designs of slingshot style fixed tray, To close the reel hole and wheel precisely together.



### Barcode

Option to include barcode, to print out the q'ty and increase the management efficiency.



### Loss detect device

Loss detect is devised, count precisely and deduct the lack auto., Rate of inaccuracy is Zero.



### Graphical LCD monitor

Graphical LCD monitor, easy to operate.

## Features

A protection device from missing material is set up.

Stop and reverse automatically, easy to operate.

Graphical LCD monitor, easy to read.

Reserve power is ready and available for counting even power is failure.

Fashion and streamline modeling, break out the traditional design.



## ● Application

Suitable for any size of SMD reel parts.

Reel Diameter : Suitable for any size, Max diameter 382 mm.

Reel Width : 8,12,16,24,32,44,56 (mm).

Reel Pitch : no limited , general 2,4,8,12,16,24,32,44,56 (mm).

## ● Specification

Power : AC110V 60Hz / AC 220V 50Hz

Power Rated : approx 30W

Count Capacity : -99999~99999

Electric meter : Measure the resistance Max 40M ,  
capacitance Max 100uF, Diode forward voltage 0~1.5V,  
open short..etc.

Dimension : 370 (L) x 610(W) x 180 (H) (mm)

Weight : approx 10kg

## ● OPTION

Loss Detect Device --- Auto deduct the lack, count precisely,  
Rate of inaccuracy is Zero.

**\*\* Only on plastics packed material reel \*\***

Barcode --- Print out the Q'ty and increase the management  
efficiency.

代理店 (Agent)



AVI PRECISION ENGINEERING PTE LTD